

Scan results for judookay.opole.pl

# ! Semi-compliant

Your efforts are noticeable, yet further action is required to meet the Web Content Accessibility Guidelines (WCAG)

It's seems like your website isn't inclusive or accessible to people with disabilities. **Let's change that!**


36

We found 36 issues on your page

### Issue severity




### Issues detected by category



In the report you'll find the results for dozens of tests focusing mainly on these categories:

- ✓ **Screen-reader** adjustments (blind users)
- ✓ **Keyboard navigation** adjustments (motor impaired)
- ✓ **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	10	2	83%

#### Successful Elements

```
<a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="javascript:void(0);" title="DOSTĘPNOŚĆ CYFROWA" role="button" > <span class="pojo-sr-only sr-only">Open toolbar</span> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100 100"...
```

```
<button type="button" data-role="none" class="slick-prev slick-arrow" aria-label="Previous" role="button" style="" >Previous</button>
```

```
<button type="button" data-role="none" class="slick-next slick-arrow" aria-label="Next" role="button" style="" >Next</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >1</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >2</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >3</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >4</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >5</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >6</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >7</button>
```

#### Failed Elements

```
<a href="#" class="da11y-submenu" aria-expanded="false" >Klub</a>
```

```
<div class="et_pb_blurb_description" ><p>ul. Szarych Szeregów 1<br>45-286 Opole</p></div>
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

12

0

100%

### Successful Elements

```
<a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="javascript:void(0);" title="DOSTĘPNOŚĆ CYFROWA" role="button" > <span class="pojo-sr-only sr-only">Open toolbar</span> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100 100"...
```

```
<a href="#" class="da11y-submenu" aria-expanded="false" >Klub</a>
```

```
<div class="et_pb_blurb_description" ><p>ul. Szarych Szeregów 1<br>45-286 Opole</p></div>
```

```
<button type="button" data-role="none" class="slick-prev slick-arrow" aria-label="Previous" role="button" style="" >Previous</button>
```

```
<button type="button" data-role="none" class="slick-next slick-arrow" aria-label="Next" role="button" style="" >Next</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >1</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >2</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >3</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >4</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >5</button>
```

3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

30

0

100%

### Successful Elements

```
<a href="https://judookay.opole.pl/" ><script data-pagespeed-no-defer="">/*!CDATA[ (function(){for(var g="function"==typeof Object.defineProperty?Object.defineProperty:function(b,c,a){if(a.get || a.set)throw new
```

```
<a href="https://judookay.opole.pl/" aria-current="page" >Strona Główna</a>
```

```
<a href="https://judookay.opole.pl/o-nas/" class="da11y-submenu" aria-expanded="false" >O nas</a>
```

```
<a href="https://judookay.opole.pl/dolacz-do-nas/" >Dołącz do Nas!</a>
```

```
<a href="https://judookay.opole.pl/aktualnosci/" >Aktualności</a>
```

```
<a href="https://judookay.opole.pl/kontakt/" >Kontakt</a>
```

```
<a href="https://maps.app.goo.gl/LodRjdcewE3RcRzS6" target="_blank" ><span class="et_pb_image_wrap et_pb_only_image_mode_wrap">Adres</a>
```

```
<a style="color:#666" href="tel:691030687" >691 030 687 </a>
```

```
<a style="color:#666" href="mailto:kontakt@judookay.opole.pl" >kontakt@judookay.opole.pl</a>
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes

1

15

6%

### Successful Elements

```
<a href="https://www.facebook.com/judo.okay.opole/" class="icon et_pb_with_border" title="Śledź na Facebook" target="_blank" ><span class="et_pb_social_media_follow_network_name" aria-hidden="true">Facebook</span></a>
```

### Failed Elements

```
<a href="https://maps.app.goo.gl/LodRjdcewE3RcRzS6" target="_blank" ><span class="et_pb_image_wrap et_pb_only_image_mode_wrap">Adres</a>
```

```
<a href="https://lzs.pl/" target="_blank" tabindex="-1" ><span class="et_pb_image_wrap "><span class="et_pb_image_wrap "><span class="et_pb_image_wrap "><span class="et_pb_image_wrap "><span class="et_pb_image_wrap "><span class="et_pb_image_wrap "><span class="et_pb_image_wrap "><span class="et_pb_image_wrap ">ŁAGODNA</p>
```

```
<p>DROGA</p>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
---	--	-----	------	---	------

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	No	Fail	-	
---	---	----	------	---	--

#### Failed Elements

```
<div class="et_pb_blurb_description" ><p>ul. Szarych Szeregów 1<br>45-286 Opole</p></div>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
----	---	-----	------	---	------

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	
----	--	----	---	---	--

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
----	---	-----	------	---	------

### Successful Elements

```
<a href="#main-content" class="skip-link da11y-screen-reader-text" >Skip to content</a>
```

### Failed Elements

```
<a id="pojo-a11y-skip-content" class="pojo-skip-link pojo-skip-content" tabindex="1" accesskey="s" href="#content" >Skip to content</a>
```

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Successful Elements

```
<nav class="et-menu-nav"><ul id="menu-main" class="et-menu nav" ><li class="et_pb_menu_page_id-home menu-item menu-item-type-post_type menu-item-object-page menu-item-home current-menu-item page_item page-item-21 current_page_item menu-item-127"><a h...
```

16	Menu items that have a dropdown menu include an "aria-	No	0	2
----	--	----	---	---

## Failed Elements

```
<a href="https://judookay.opole.pl/o-nas/" class="da11y-submenu" aria-expanded="false" >O nas</a>
```

```
<a href="#" class="da11y-submenu" aria-expanded="false" >Klub</a>
```

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

Yes

2

0

100%

## Successful Elements

```
<a href="https://judookay.opole.pl/o-nas/" class="da11y-submenu" aria-expanded="false" >O nas</a>
```

```
<a href="#" class="da11y-submenu" aria-expanded="false" >Klub</a>
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.

Yes

13

0

100%

## Successful Elements

```

```

```

```

```

```

```

```

```

```



```
</span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0
----	--	----	---	---

22 Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. No 0 0

23 Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. No 0 0

24 Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). No 0 0

25 Form elements cannot have the same ID, or else their corresponding label will provide false information. No 0 0

26 Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. No 0 0

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. No 0 0

28 aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. Yes 7 0

100%

### Successful Elements

```
<div class="et_pb_module et_pb_image et_pb_image_3 divilife-3-col-feature-blurb slick-slide slick-current slick-active" data-slick-index="0" aria-hidden="false" tabindex="-1" role="option" aria-describedby="slick-slide00" style="width: 360px;"> <a hr...
```

```
<div class="et_pb_module et_pb_image et_pb_image_4 divilife-3-col-feature-blurb slick-slide slick-active" data-slick-index="1" aria-hidden="false" tabindex="-1" role="option" aria-describedby="slick-slide01" style="width
```

```
<div class="et_pb_module et_pb_image et_pb_image_5 divilife-3-col-feature-blurb slick-slide slick-active" data-slick-index="2" aria-hidden="false" tabindex="-1" role="option" aria-describedby="slick-slide02" style="width: 360px;"> <a href="https://ro...
```

```
<div class="et_pb_module et_pb_image et_pb_image_6 divilife-3-col-feature-blurb slick-slide" data-slick-index="3" aria-hidden="true" tabindex="-1" role="option" aria-describedby="slick-slide03" style="width: 360px;"> <a href="https://www.gov.pl/web/s...
```

```
<div class="et_pb_module et_pb_image et_pb_image_7 divilife-3-col-feature-blurb slick-slide" data-slick-index="4" aria-hidden="true" tabindex="-1" role="option" aria-describedby="slick-slide04" style="width: 400px;" > <a href="https://lzs.pl/" target...
```

```
<div class="et_pb_module et_pb_image et_pb_image_8 divilife-3-col-feature-blurb slick-slide" data-slick-index="5" aria-hidden="true" tabindex="-1" role="option" aria-describedby="slick-slide05" style="width: 400px;" > <a href="https://reginatour.pl/"...
```

```
<div class="et_pb_module et_pb_image et_pb_image_9 divilife-3-col-feature-blurb slick-slide" data-slick-index="6" aria-hidden="true" tabindex="-1" role="option" aria-describedby="slick-slide06" style="width: 360px;" > <a href="http://web.pzjudo.pl/" ...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0
----	---	----	---	---

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0
----	---	----	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Successful Elements

```
<title>Strona Główna - Judo Okay Opole</title>
```

32	The HTML tag should include a "land" attribute that	Yes	Pass	-	100%
----	---	-----	------	---	------

## Successful Elements

```
<html lang="pl-PL" class="js"><head> <meta charset="UTF-8"> <meta http-equiv="X-UA-Compatible" content="IE=edge"> <link rel="pingback" href="https://judookay.opole.pl/xmlrpc.php"> <script type="text/javascript"> document.documentElement.className = '...
```

33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. Yes Pass -

100%

## Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. Yes 3 0

100%

## Successful Elements

```
<div id="main-content" tabindex="-1" role="main"> <article id="post-21" class="post-21 page type-page status-publish hentry"> <div class="entry-content"> <div class="et-l et-l--post"> <div class="et_builder_inner_content et_pb_gutters3"> <div class="...
```

```
<footer class="et-l et-l--footer"> <div class="et_builder_inner_content et_pb_gutters3"><div class="et_pb_section et_pb_section_0_tb_footer et_pb_with_background et_section_regular"> <div class="et_pb_with_border et_pb_row et_pb_row_0_tb_footer et_pb...
```

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. No 0 2

## Failed Elements

```
<button type="button" data-role="none" class="slick-prev slick-arrow" aria-label="Previous" role="button" style="" >Previous</button>
```

```
<button type="button" data-role="none" class="slick-next slick-arrow" aria-label="Next" role="button" style="" >Next</button>
```

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	36	12	75%
----	--	-----	----	----	-----

## Successful Elements

```
<span class="pojo-a11y-toolbar-text">Powiększ tekst</span>
```

```
<span class="pojo-a11y-toolbar-text">Zmniejsz tekst</span>
```

```
<span class="pojo-a11y-toolbar-text">Skala szarości</span>
```

```
<span class="pojo-a11y-toolbar-text">Wysoki kontrast</span>
```

```
<span class="pojo-a11y-toolbar-text">Negatyw</span>
```

```
<span class="pojo-a11y-toolbar-text">Jasne tło</span>
```

```
<span class="pojo-a11y-toolbar-text">Podkreśl odnośniki</span>
```

```
<span class="pojo-a11y-toolbar-text">Zmień Czcionkę</span>
```

```
<span class="pojo-a11y-toolbar-text">Reset</span>
```

```
<a href="https://judookay.opole.pl/o-nas/" class="da11y-submenu" aria-expanded="false" >O nas</a>
```

## Failed Elements

```
<a href="https://judookay.opole.pl/" aria-current="page" >Strona Główna</a>
```

```
<h1>UCZNIOWSKI KLUB SPORTOWY OKAY OPOLE</h1>
```

```
<h4>Na skróty</h4>
```

```
<a style="color:white" href="/kadra-szkoleniowa/" >Kadra szkoleniowa</a>
```

```
<a style="color:white" href="/nasze-programy/" >Nasze programy</a>
```

```
<a style="color:white" href="/sukcesy-i-osiegniecia/" >Sukcesy i osiągnięcia</a>
```

```
<h4>Adres</h4>
```

```
<div class="et_pb_text_inner">ul. Szarych Szeregów 1<br > 45-286 Opole</div>
```

```
<h4>Dostępność</h4>
```

```
<a style="color:white" href="/mapa-strony/" >Mapa strony</a>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0
----	---	-----	---	---

100%

## Successful Elements

```
<button type="button" data-role="none" class="slick-prev slick-arrow" aria-label="Previous" role="button" style="" >Previous</button>
```

```
<button type="button" data-role="none" class="slick-next slick-arrow" aria-label="Next" role="button" style="" >Next</button>
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
----	---	----	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	7	0
----	---	-----	---	---

100%

#### Successful Elements

```
<button type="button" data-role="none" role="button" tabindex="0" >1</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >2</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >3</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >4</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >5</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >6</button>
```

```
<button type="button" data-role="none" role="button" tabindex="0" >7</button>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
----	--	----	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
----	--	----	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents	No	0	0
----	---	----	---	---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
----	--	----	---	---

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
----	---	----	---	---

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
----	---	----	---	---

48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-
----	---	-----	------	---

100%

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0
----	---	----	---	---